

Primacy / Primacy 2 Comparison Leaflet





Primacy 2: A Whole Suite of New Features & Options

O Rewrite

Print, erase, and reprint your **rewritable cards**.

© 200-card feeder

Increase efficiency and autonomy with **an even larger** feeder.

Kineclipse®

Automatically **mask sensitive data left on the ribbon** after printing.

O Double overlay

Double the card protection for greater durability.

O User help via QR code

Scan the QR code that appears on the screen to **easily get the help you need**.

System software and drivers

Enjoy an optimized user experience on **Windows, Mac** & Linux.

🔘 Scan

Perform security and **control checks** of printed cards and more via free SDK.

All the features of Primacy 2

Color profile

Get a print result as close as possible to actual colors.

Digital erasing

Delete sensitive data sent to the printer from memory.

O UV effect

Apply a UV effect to your cards for **increased security**.

Mechanical locking by key

Prevent the printer from being opened with access to consumables.

© Compatible devices

Print directly from your smartphone or tablet.

		the second second second	
	A contraction of the second se		
			PRI
	щ	Printed side	Single or c
		Printing technology	Color sublim Thermal transfe
	NT MANC	Printing speed Color card, single side	225 ca
	PRINT PERFORMANCE	Resolution	30 Advanced mod
		Feeder/hopper capacity	100-ca 100-car
		Color profile	
	SECURITY OF ISSUED CARDS	Encoding options	ISO mag Contact and d
		UV effect Double overlay	
		Lamination module (option)	Varnish, patch, ho
		Scanner	
	PROTECTION OF DATA & CONSUMABLES	Digital erasing	
		Kineclipse®	
		Mechanical key lock	
	ш	LCD screen (option)	Visual and
	ENC ENC	Card design software	CardPr
	USER EXPERIEN	System software and drivers	Evolis Pre on W
		Compatible devices	Con

eva

Primacy	Primacu	
RIMACY	PRIMACY 2	
or double sided	Single or double sided	
imation (YMCKO) nsfer (monochrome)	Color sublimation (YMCKO) Thermal transfer (monochrome) Rewritable cards	
cards/hour	280 cards/hour	
300 dpi node up to 1200 dpi	300 dpi Advanced mode up to 1200 dpi	
card feeder card hopper	100-card feeder 200-card feeder (option) 100-card hopper	
/	Yes	
nagnetic strip Id contactless chip	ISO magnetic strip Contact and contactless chip	
/	New ribbon range	
holographic elements	Varnish, patch, holographic elements	
/	Option	
/	Yes	
/	Option	
/	Option	
nd audible alerts	Visual and audible alerts QR codes for user help	
Presso XXS	CardPresso XXS	
Premium Suite Windows	Evolis Premium Suite with optimized user experience on Windows, Mac & Linux	
omputer	Computer Smartphone and tablet	



EVOLIS, GLOBAL PROVIDER OF IDENTIFICATION SOLUTIONS

- Worldwide leader in card personalization systems for decentralized issuance
- International expertise and local support through a network of 400 distributors in 140 countries
- A unique ability to meet specific customer requirements with a Project department dedicated to design and construction of tailor-made solutions
- © Evolis is ISO 9001 certified, which reflects our comprehensive approach, both in terms of quality and continuous improvement

www.evolis.com



Evolis Inc. - Providence - RI - USA - evolisinc@evolis.com LATIN AMERICA

Evolis Inc. - Fort Lauderdale - FL - USA - evolisinc@evolis.com
ASIA - PACIFIC

Evolis Asia Pte Ltd - Singapore - evolisasia@evolis.com CHINA

Evolis China - Shanghai - evolischina@evolis.com INDIA

Evolis India - Mumbai - evolisindia@evolis.com